

**HANSCRAFT**<sup>®</sup>  
european spa producer



# PREMIUM SPAS CATALOGUE



**15**  
YEARS  
HANSCRAFT  
SINCE 2011



#### **EUROPEAN SPA PRODUCER**

based in Prague near the airport,  
Czech Republic

#### **EXPERIENCE**

15 years of expertise in importing,  
selling, and servicing hot tubs

#### **STRICT TESTING**

each hot tub undergoes thorough  
testing in real conditions before  
dispatch

#### **THE BEST QUALITY HOT TUBS PARTS**

we prioritize components sourced  
from reputable US and European  
suppliers

#### **THE THICKEST SHELLS ON THE MARKET**

our hot tubs feature premium 7 mm  
double layer acrylic from the USA,  
enhanced with an above standard  
layer of polyurethane GreenShield

#### **CERTIFICATIONS**

our hot tubs proudly bear the TÜV  
RHEILAND sticker, indicating their  
adherence to strict performance  
and quality standards.

#### **SQR SYSTEM**

we are using an innovative and  
reliable method called SQR system  
to install 98% of parts to the shell

#### **MOST MODERN PRODUCTION IN CENTRAL EUROPE**

ranked among the top 3 most modern  
hot tub productions in Central Europe,  
boasting cutting-edge equipment and  
technologies

#### **OUR UNIQUE OKA DESIGN**

product line OKA design was created  
in cooperation with leading Czech  
designer and architect  
Ing. Arch. MgA. Ondřej Kamenický

#### **ENVIRONMENTALLY FRIENDLY PRODUCTION**

we take pride in operating as a 97%  
non-waste company, committed to  
environmentally sustainable practices



# CONTENTS

## OKANDINAVIA DESIGN

### DIAMOND



↳ 220 × 220 × 93 cm  
 ↳ 1350 l ↳ 3 ↳ 2 ⦿ 85  
 page 14

## OKA DESIGN

### AMETHYST OKA1



↳ 200 × 100/150 × 206,2/78 cm  
 ↳ 600 l ↳ 0 ↳ 2 ⦿ 39  
 page 18

### NEPHRITE OKA2



↳ 216 × 160 × 78 cm  
 ↳ 1000 l ↳ 2 ↳ 1 ⦿ 48  
 page 19

### SAPPHIRE OKA3



↳ 210 × 180 × 93 cm  
 ↳ 1150 l ↳ 4 ↳ 1 ⦿ 56  
 page 20

### ONYX OKA4



↳ 200 × 200 × 93 cm  
 ↳ 1250 l ↳ 3 ↳ 2 ⦿ 65  
 page 21

### ALMANDINE OKA5



↳ 220 × 220 × 93 cm  
 ↳ 1550 l ↳ 3 ↳ 2 ⦿ 73  
 page 22

## HC DESIGN

### HC1



↳ 200 × 200 × 93 cm  
 ↳ 1100 l ↳ 4 ↳ 1 ⦿ 59  
 page 26

### HC2



↳ 200 × 200 × 93 cm  
 ↳ 900 l ↳ 2 ↳ 2 ⦿ 50  
 page 27

### HC3



↳ 200 × 200 × 93 cm  
 ↳ 1100 l ↳ 3 ↳ 2 ⦿ 55  
 page 28

### HC4



↳ 216 × 160 × 93 cm  
 ↳ 850 l ↳ 1 ↳ 2 ⦿ 48  
 page 29

### HC5



↳ 216 × 160 × 93 cm  
 ↳ 850 l ↳ 2 ↳ 1 ⦿ 43  
 page 30

### HC6



↳ 220 × 220 × 93 cm  
 ↳ 1300 l ↳ 7 ↳ 0 ⦿ 62  
 page 31

### HC7



↳ 220 × 220 × 93 cm  
 ↳ 1250 l ↳ 3 ↳ 2 ⦿ 61  
 page 32

### HC8



↳ ø214 × 93 cm  
 ↳ 1050 l ↳ 6 ↳ 0 ⦿ 32  
 page 33

# Exceptional quality

## Manufactured in Europe



Our hot tubs made in Europe in a next-generation factory using robotic production technology with extreme precision are subject to systematic testing.

To achieve the highest level of warranty, we use the best components in all production stages.

## 100% recyclable materials



The basis for ecological safety of our hot tubs is 100% recyclable Italian material GreenShield, which completely eliminates any risk associated with the use of outdated fibreglassing technology and the chemical substance styrene.

## Professional team

Through collaboration with Martin Procházka, a renowned physiotherapist for top Czech athletes, our hot tubs guarantee a comfortable and maximally effective massage experience. Additionally, Ing. Arch. MgA. Ondřej Kamenický infuses a modern and attractive aesthetic into our designs.

## TÜV standard



Thanks to our modern production and best quality components, all our products have received the TÜV Rheinland certification. This independent certification provides an international guarantee of quality.

Certified by an independent laboratory approved by TÜV in terms of 20 control criteria, some of which are:

- Resistance to high temperatures, temperature fluctuations and chemicals
- Material resistance, structural stability, resistance to pressure
- Optimized design eliminating the risk of leakage
- Meets electrical safety standards

**Only 5% of hot tubs on the market are TÜV certified!**

## Inspired by the aerospace and automotive industries

Our robotic production line, inspired by the precision of the aerospace and automotive industries, enables us to achieve accuracy down to the millimeter, ensuring every detail is meticulously crafted to perfection.



## Warranties

Thanks to the use of the highest quality of material in all stages of production, we can offer the best warranties on the market and a perfect delivery time.

The modern design of the hot tubs allows easy accessibility in case of the need for technical interventions.

**WARRANTY**  
FOR THE SHELL  
AND CONSTRUCTION

**10**  
YEARS

**WARRANTY**  
FOR ELECTRONICS

**2**  
YEARS




## Carefully selected materials



Hanscraft hot tubs feature top-quality acrylic shells, renowned for their exceptional durability and reliability. Our exclusive ABS-PMMA acrylic sheet, patented for its unique blend of acrylate resilience and ABS strength, is further reinforced with two layers of high-density Greenshield insulation.


Rigorously tested, our hot tubs guarantee long-lasting performance and reliability. Experience true quality with Hanscraft.



## The best materials for hot tub paneling

FUNDERMAX®

Safeguarding Hanscraft hot tubs is our priority, reflected in our outer panels designed through patented processes. These panels are engineered to endure harsh weather conditions, UV radiation, high temperatures, scratches, shocks, and solvents. Crafted from high quality construction materials also utilized for example in terraces and facades, our outer panels ensure easy maintenance and long lasting durability.



## Time-Tested Wooden Structure

The wooden structure treated with products according to class 4 is highly resistant to water, temperature fluctuations and the harshest climatic conditions. The flexibility of the wood reduces noise caused by vibrations and ensures reliable stability.



## Latest Technology

The latest technologies developed by Balboa are used to control all the functions that the hot tub offers. A true leader in the spa industry, Balboa Water Group has been designing hot tub equipment for over 30 years.

# Technology at your service



## Multi-level insulation for significant energy savings

Indulge in tranquil hydrotherapy with Hanscraft hot tubs, meticulously designed for energy efficiency.

Our spas are crafted with innovative technologies focused on minimizing energy consumption, ensuring a serene experience every time.



From the robust shell to the paneling, thermocover, and other technical elements, our insulation solutions are unparalleled. Benefit from proven technical advancements that save up to several kilowatts per year, allowing you to enjoy luxurious relaxation while conserving energy effortlessly.



# Ultimate Energy Efficiency

## Finest Hot Tub Shells

Double GreenShield layer insulation is much more effective and durable than expensive foam insulation, and it also allows for better resistance of the tub.



## Cabinet Paneling

All Cabinet panels and the ABS Bottom are coated with 10 mm Thermoshield PVC Foam: Superior Insulation for Every Element of the hot tub.

## Thermocover

The thermocover of Hanscraft hot tubs designed from the highest quality materials allows you to maintain an ideal water temperature.



## ABS base


The thermoformed ABS base provides an impermeable barrier against heat loss and rising moisture coming from the ground.

## 3 independent pumps

To ensure quieter operation and more efficient energy management, we've opted to separate the massage and circulation pumps in our hot tubs.

Each pump activates alongside specific jet selections, maintaining consistent massage intensity whether you're enjoying the tub alone or with others.

The circulation pump handles filtration and heating duties, enabling all pumps and the heater to function simultaneously. This innovative approach not only minimizes noise levels during inactive periods but also contributes to reduced electricity consumption.





## Massage pump

For premium OKA and HC design hot tubs, we always use 2 single-speed 2.2 kW pumps (with exception in hot tubs OKA1, OKA2 and HC8, which have only 1 single-speed pump) and one 200–400 W filtration pump. The reason for this is to guarantee their longer service life and, last but not least, to ensure an optimal massage with a constant flow in all places.

## Blower

Our hot tubs are equipped with a blower for even more intensive hydrotherapy. The preheated air is driven via air jets. This makes the massage even more comfortable as it reduces the feeling of cold in the case of low outdoor temperatures. The preheated air also prevents the water temperature from dropping during the massage.



## Circulation pump

There are several advantages to installing separate circulation pump:

- Significant reduction in hot tub noise in standby mode
- Less energy consumption than hot tubs that uses a dual speed pump for water circulation
- Allows further extension of the service life of massage pumps

# Comfort for health

## Experience the Restorative Power of Hydrotherapy


Hydrotherapy offers a wealth of benefits for both body and soul, delivering relaxation and healing effects. It alleviates muscle tension and joint pain, facilitates body regeneration and blood circulation, and aids in toxin elimination. Hydrotherapy also reduces stress and enhances sleep quality, promoting overall well-being.

Our hot tubs feature strategically arranged jets designed to target specific areas of the body, ensuring a tailored hydrotherapy experience. Additionally, select models boast tasteful and soothing waterfalls, creating an ambiance of relaxation and tranquility.





## Venturi effect

Harnessing the power of the Venturi effect, our hot tubs offer personalized massage experiences. Through the adjustment valve, you have the flexibility to fine tune the air-to-water ratio of the massage jets. This ingenious design empowers you to seamlessly switch between intense and gentle massages, ensuring a tailored hydrotherapy session every time.




## Hydromassage jets


Indulge in a diverse range of massages with CMP jets in Hanscraft hot tubs. Boasting four types of stainless steel accent jets available in three different sizes, each jet is enhanced with an adjustable Venturi effect and infused with additional air for an invigorating hydromassage experience. Carefully arranged, these jets precisely target specific areas of the body for optimal relaxation.




■ Unidirectional movable jet designed to target specific areas of your body with precision



■ A simple rotating jet that draws small circles and moves towards a specific part of the body



■ Bi-rotational jet for an intensive massage of a large part of the body



■ Unidirectional rotating jet that sprays a pulsating stream of water for an intensified massage





## Respecting body ergonomics

Our meticulous attention to detail ensures that every seat in our hot tubs adheres to European standards. Each seat is carefully crafted to mimic the contours of your body, providing unparalleled comfort during your hydrotherapy experience. From relaxation to massage, our hot tubs are designed with your comfort in mind.



# An experience for all the senses



## Relaxing atmosphere

For those who love peace and relaxation, our hot tubs are equipped with a backlit waterfall. Let yourself be quietly carried away by the sound of running water and forget the concept of time.



## Atmosphere full of colors

Experience the transformative power of chromotherapy with our LED lighting system. By projecting colored lights onto your skin, chromotherapy promotes holistic wellness, supporting both physical and mental health. From alleviating fatigue, depression, and anxiety to complementing the benefits of hydrotherapy, this natural method fosters harmony and balance within the body and mind. Discover the rejuvenating effects of chromotherapy as you embark on your wellness journey with us.



## Telescopic skimmer for crystal clear water

They say the best accessories are the ones we don't notice. With telescopic skimmer technology, perfect water care is effortless, regardless of the number of people in the hot tub. Unlike fixed skimmers that clog when water levels rise, telescopic skimmers reliably collect surface dirt and foam. Enjoy pristine water conditions without the hassle, courtesy of our innovative telescopic skimmer technology.



Audio Bluetooth



Subwoofer

## Complete audio system

Our HANSCRAFT OKA design hot tubs redefine luxury with an integrated high-quality audio system, ensuring moments of complete relaxation. Controlled effortlessly with your smartphone or tablet via Bluetooth, the system comes equipped with a subwoofer for an immersive experience. Immerse yourself in your favorite music while enjoying the ultimate hot tub experience. Upgrade to the HC design hot tubs to enjoy this premium audio system for an additional charge.





## Quality Water Disinfection

Your satisfaction hinges on the quality of water in your hot tub, and at HANSCRAFT, we prioritize its safety. Given the elevated water temperature in hot tubs, which can facilitate bacteria growth, effective maintenance is crucial. That's why we've equipped our hot tubs with a completely natural water disinfection system that prioritizes your skin's well-being. This innovative approach also reduces the need for excessive chemical use, ensuring a safer and more enjoyable hot tub experience for you and your loved ones.

## Quality water for health

### Equipment for **100% natural** water treatment

#### UV lamp

Disinfects water using type C Ultraviolet Rays (UV).

- Allows clean and clear water
- 100% natural
- Destroys microorganisms, bacteria, algae
- Reduces the amount of chemicals needed



# OKANDINAVIA

— DESIGN —

The real gem among  
the hot tubs



DIAMOND

Nominated for the RED DOT  
Award and winner of the  
GRAND PRIX competition



reddot design award



**WARRANTY**  
FOR THE SHELL  
AND CONSTRUCTION

**10**  
**YEARS**



The DIAMOND hot tub from the OKANDINAVIA line elevates the wellness experience to heavenly heights. It is a masterpiece by the court architect and designer of HANSCRAFT, Ing. Arch. MgA. Ondřej Kamenický, and will be appreciated especially by discerning clients. It has roots in timeless Scandinavian luxury and design. The novelty is the so-called "hybrid position," where one lounge can be used not only for lying down but also for sitting.

## BEYOND-STANDARD EQUIPMENT



Microsilk



Bypass



Supplementary Heater



Steps



Thermocover lifter

For more information on beyond-standard equipment, see pg. 39

## STANDARD EQUIPMENT



+ Acrylic tub Aristech® Lucite® ABS/PMMA

+ Touch control panel Balboa®SPA touch 4 with inbuilt Wi-Fi module

+ CMP® stainless steel jets



+ Globally unparalleled design

+ Telescopic skimmer

+ High Pressure Laminate panels Fundermax®

+ 3 massage pumps 2.2 kW and 1 circulation pump



+ UV lamp

+ Blower with preheated air



+ Bluetooth audio + Subwoofer Aquatic AV®

+ Nordic insulation



+ LED lighting (including cabinet LED light strip)

+ Thermocover



# DIAMOND

220 × 220 × 93 cm

5<sup>3</sup> SEATS  
PLACES 2 LOUNGERS

85  
JETS

3 MASSAGE  
PUMP  
+  
CIRCULATION  
PUMP 1

BLOWER

AUDIO  
BLUETOOTH  
+ SUBWOOFER

Wi-Fi

3D model in  
augmented  
reality

Android/iOS



## Balboa Spa Touch 4

The new stunning Spa Touch™ 4 graphical interface provides an effortless and enhanced user experience. It comes with inbuilt Wi-Fi module!



## LED light strip under the casing

Along with the illuminated logo label, creates a unique lighting atmosphere



## Nordic insulation

The best hot tub deserves the best insulation. Nordic insulation is one of the most energy-efficient insulations on the market

## COMFORT

|                        |                                                                                              |
|------------------------|----------------------------------------------------------------------------------------------|
| Control panel          | Touch control panel Balboa® SPA Touch 4 with inbuilt Wi-Fi module                            |
| Hydromassage jets      | 77× Stainless steel CMP®                                                                     |
| Air jets               | 8× Stainless steel CMP®                                                                      |
| Cervical spine massage | Yes                                                                                          |
| Air control            | Venturi effect: air/water flow control                                                       |
| Audio system           | Bluetooth + subwoofer Aquatic AV®                                                            |
| Water treatment        | UV lamp                                                                                      |
| Equipment              | LED lighting: illumination of the hot tub, jets, valves, headrest, logo, and bottom lighting |

## TECHNICAL DATA

|                |                                                                              |
|----------------|------------------------------------------------------------------------------|
| Pumps (4×)     | – 3 mono speed massage pump 2.2 kW<br>– 1 circulation pump 400 W             |
| Blower         | Yes (with preheated air)                                                     |
| Heating        | Balboa® 3 Kw                                                                 |
| Filtration     | Telescopic skimmer CMP® cartridge filter                                     |
| Shell          | Acrylic layer ABS-PMMA Lucite®<br>+ double GreenShield layer insulation (PU) |
| Side panels    | High Pressure Laminate panels Fundermax®                                     |
| Water volume   | 1 350 l                                                                      |
| Hot tub weight | 370 kg                                                                       |





Thermocover is included in the standard equipment



Thermocover

Beyond-standard equipment



Microsilk



Bypass



Steps



Thermocover  
lifter




Supplementary  
Heater

For more information  
on beyond-standard  
equipment, see pg. 39

A hot tub according to your wishes

Choose the shell color



Winter Solstice



Choose the paneling color




Concrete




Dark Stone



Patina Bronze



Antique



Afro Grey



Creek



Ecuador



— OKA —  
DESIGN

Elegant lines and design  
exceptional functions



AMETHYST (OKA1)



NEPHRITE (OKA2)



SAPPHIRE (OKA3)



ONYX (OKA4)



ALMANDINE (OKA5)

**WARRANTY**  
FOR THE SHELL  
AND CONSTRUCTION

**10**  
**YEARS**



The OKA design range is a real gem in terms of know-how of contemporary acrylic whirlpools. Every detail has been thought out, every material carefully selected for its technical properties as well as its robustness. Its innovative yet elegant design provides all the benefits of an exceptional relaxation in a hot tub.

## BEYOND-STANDARD EQUIPMENT




Microsilk



Bypass



Supplementary Heater



Extra insulation  
40 mm



Steps



Thermocover lifter



Cabinet LED  
light strip

## STANDARD EQUIPMENT



+ Acrylic tub Aristech® Lucite® ABS/PMMA

+ Touch control panel Balboa® SPA touch 4 with inbuilt Wi-Fi module

+ CMP® stainless steel jets



+ Solid line design

+ Telescopic skimmer

+ High Pressure Laminate panels Fundermax®

+ 2 massage pumps 2.2 kW and 1 circulation pump\*

+ UV lamp


+ Blower with preheated air

+ Bluetooth audio + Subwoofer Aquatic AV®

+ Relaxation waterfall

+ LED lighting

+ Thermocover



For more information on beyond-standard equipment, see pg. 39

\*Hot tubs OKA1 and OKA2 have 1 massage and 1 circulation pump

# AMETHYST OKA1

200 × 100/150 × 206,2/78 cm

**2** <sup>0</sup>  SEATS  
PLACES **2**  LOUNGERS


**39**  
JETS

**1** MASSAGE PUMP  
+  
CIRCULATION PUMP **1**

**BLOWER**

**AUDIO**  
BLUETOOTH  
+ SUBWOOFER

**Wi-Fi**



## Balboa Spa Touch 4

The new stunning Spa Touch™ 4 graphical interface provides an effortless and enhanced user experience. It comes with inbuilt Wi-Fi module!



## Waterfall lighting

It creates a relaxing atmosphere combined with rustling water

## COMFORT

|                   |                                                                                                                                                                                                                 |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control panel     | Touch control panel Balboa® SPA Touch 4 with inbuilt Wi-Fi module                                                                                                                                               |
| Hydromassage jets | 29× Stainless steel CMP®                                                                                                                                                                                        |
| Air jets          | 10× Stainless steel CMP®                                                                                                                                                                                        |
| Air control       | Venturi effect: air/water flow control                                                                                                                                                                          |
| Audio system      | Bluetooth + subwoofer Aquatic AV®                                                                                                                                                                               |
| Water treatment   | UV lamp                                                                                                                                                                                                         |
| Equipment         | <ul style="list-style-type: none"> <li>– LED lighting: illumination of the hot tub, waterfall, jets, valves, headrest, logo, and bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul> |

## TECHNICAL DATA

|                |                                                                                                                              |
|----------------|------------------------------------------------------------------------------------------------------------------------------|
| Pumps (2×)     | <ul style="list-style-type: none"> <li>– 1 mono speed massage pump 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul> |
| Blower         | Yes (with preheated air)                                                                                                     |
| Heating        | Balboa® 3 Kw                                                                                                                 |
| Filtration     | Telescopic skimmer CMP® cartridge filter                                                                                     |
| Shell          | Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)                                                    |
| Side panels    | High Pressure Laminate panels Fundermax®                                                                                     |
| Water volume   | 600 l                                                                                                                        |
| Hot tub weight | 215 kg                                                                                                                       |





3D model in  
augmented  
reality

Android/iOS

# OKA2 NEPHRITE

216 × 160 × 78 cm

OKA DESIGN

Wi-Fi

AUDIO  
BLUETOOTH  
+ SUBWOOFER

BLOWER

1 MASSAGE  
PUMP  
+  
CIRCULATION  
PUMP 1

48  
JETS

3 2 SEATS  
PLACES 1 LOUNGER

| COMFORT           |                                                                                                                                                                                                                 |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control panel     | Touch control panel Balboa® SPA Touch 4 with inbuilt Wi-Fi module                                                                                                                                               |
| Hydromassage jets | 36× Stainless steel CMP®                                                                                                                                                                                        |
| Air jets          | 12× Stainless steel CMP®                                                                                                                                                                                        |
| Air control       | Venturi effect: air/water flow control                                                                                                                                                                          |
| Audio system      | Bluetooth + subwoofer Aquatic AV®                                                                                                                                                                               |
| Water treatment   | UV lamp                                                                                                                                                                                                         |
| Equipment         | <ul style="list-style-type: none"> <li>– LED lighting: illumination of the hot tub, waterfall, jets, valves, headrest, logo, and bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul> |

| TECHNICAL DATA |                                                                                                                              |
|----------------|------------------------------------------------------------------------------------------------------------------------------|
| Pumps (2×)     | <ul style="list-style-type: none"> <li>– 1 mono speed massage pump 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul> |
| Blower         | Yes (with preheated air)                                                                                                     |
| Heating        | Balboa® 3 Kw                                                                                                                 |
| Filtration     | Telescopic skimmer CMP® cartridge filter                                                                                     |
| Shell          | Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)                                                    |
| Side panels    | High Pressure Laminate panels Fundermax®                                                                                     |
| Water volume   | 1 000 l                                                                                                                      |
| Hot tub weight | 285 kg                                                                                                                       |



## Balboa Spa Touch 4

The new stunning Spa Touch™ 4 graphical interface provides an effortless and enhanced user experience. It comes with inbuilt Wi-Fi module!



## Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



## SAPPHIRE OKA3

210 × 180 × 93 cm

5 PLACES  
4 SEATS  
1 LOUNGER

56 JETS

2 MASSAGE PUMPS  
+  
1 CIRCULATION PUMP

BLOWER

AUDIO  
BLUETOOTH  
+ SUBWOOFER

Wi-Fi

3D model in  
augmented  
reality

Android/iOS

**Balboa Spa Touch 4**

The new stunning Spa Touch™ 4 graphical interface provides an effortless and enhanced user experience. It comes with inbuilt Wi-Fi module!

**Waterfall lighting**

It creates a relaxing atmosphere combined with rustling water

**Jets for the cervical spine**

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine

## COMFORT

|                        |                                                                                                                                                                                                                 |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control panel          | Touch control panel Balboa® SPA Touch 4 with inbuilt Wi-Fi module                                                                                                                                               |
| Hydromassage jets      | 48× Stainless steel CMP®                                                                                                                                                                                        |
| Air jets               | 8× Stainless steel CMP®                                                                                                                                                                                         |
| Cervical spine massage | Yes                                                                                                                                                                                                             |
| Air control            | Venturi effect: air/water flow control                                                                                                                                                                          |
| Audio system           | Bluetooth + subwoofer Aquatic AV®                                                                                                                                                                               |
| Water treatment        | UV lamp                                                                                                                                                                                                         |
| Equipment              | <ul style="list-style-type: none"> <li>– LED lighting: illumination of the hot tub, waterfall, jets, valves, headrest, logo, and bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul> |

## TECHNICAL DATA

|                |                                                                                                                               |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|
| Pumps (3×)     | <ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul> |
| Blower         | Yes (with preheated air)                                                                                                      |
| Heating        | Balboa® 3 Kw                                                                                                                  |
| Filtration     | Telescopic skimmer CMP® cartridge filter                                                                                      |
| Shell          | Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)                                                     |
| Side panels    | High Pressure Laminate panels Fundermax®                                                                                      |
| Water volume   | 1 150 l                                                                                                                       |
| Hot tub weight | 307 kg                                                                                                                        |



3D model in  
augmented  
reality

Android/iOS

# OKA4 ONYX

200 × 200 × 93 cm

OKA DESIGN

Wi-Fi

AUDIO  
BLUETOOTH  
+ SUBWOOFER

BLOWER

2 MASSAGE  
PUMPS  
+  
CIRCULATION  
PUMP 1

65  
JETS

5  
PLACES

3 SEATS  
2 LOUNGER

| COMFORT                |                                                                                                                                                                                                                 |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control panel          | Touch control panel Balboa® SPA Touch 4 with inbuilt Wi-Fi module                                                                                                                                               |
| Hydromassage jets      | 55× Stainless steel CMP®                                                                                                                                                                                        |
| Air jets               | 10× Stainless steel CMP®                                                                                                                                                                                        |
| Cervical spine massage | Yes                                                                                                                                                                                                             |
| Air control            | Venturi effect: air/water flow control                                                                                                                                                                          |
| Audio system           | Bluetooth + subwoofer Aquatic AV®                                                                                                                                                                               |
| Water treatment        | UV lamp                                                                                                                                                                                                         |
| Equipment              | <ul style="list-style-type: none"> <li>– LED lighting: illumination of the hot tub, waterfall, jets, valves, headrest, logo, and bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul> |
| TECHNICAL DATA         |                                                                                                                                                                                                                 |
| Pumps (3×)             | <ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul>                                                                                   |
| Blower                 | Yes (with preheated air)                                                                                                                                                                                        |
| Heating                | Balboa® 3 Kw                                                                                                                                                                                                    |
| Filtration             | Telescopic skimmer CMP® cartridge filter                                                                                                                                                                        |
| Shell                  | Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)                                                                                                                                       |
| Side panels            | High Pressure Laminate panels Fundermax®                                                                                                                                                                        |
| Water volume           | 1 250 l                                                                                                                                                                                                         |
| Hot tub weight         | 308 kg                                                                                                                                                                                                          |



## Balboa Spa Touch 4

The new stunning Spa Touch™ 4 graphical interface provides an effortless and enhanced user experience. It comes with inbuilt Wi-Fi module!



## Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



## Jets for the cervical spine

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine





## ALMANDINE OKA5

220 × 220 × 93 cm

5<sup>3</sup> SEATS  
PLACES 2 LOUNGERS

73  
JETS

2 MASSAGE  
PUMPS  
+  
CIRCULATION  
PUMP 1

BLOWER

AUDIO  
BLUETOOTH  
+ SUBWOOFER

Wi-Fi

3D model in  
augmented  
reality

Android/iOS

**Balboa Spa Touch 4**

The new stunning Spa Touch™ 4 graphical interface provides an effortless and enhanced user experience. It comes with inbuilt Wi-Fi module!

**Waterfall lighting**

It creates a relaxing atmosphere combined with rustling water

**Jets for the cervical spine**

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine

## COMFORT

|                        |                                                                                                                                                                                                                 |
|------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control panel          | Touch control panel Balboa® SPA Touch 4 with inbuilt Wi-Fi module                                                                                                                                               |
| Hydromassage jets      | 61× Stainless steel CMP®                                                                                                                                                                                        |
| Air jets               | 12× Stainless steel CMP®                                                                                                                                                                                        |
| Cervical spine massage | Yes                                                                                                                                                                                                             |
| Air control            | Venturi effect: air/water flow control                                                                                                                                                                          |
| Audio system           | Bluetooth + subwoofer Aquatic AV®                                                                                                                                                                               |
| Water treatment        | UV lamp                                                                                                                                                                                                         |
| Equipment              | <ul style="list-style-type: none"> <li>– LED lighting: illumination of the hot tub, waterfall, jets, valves, headrest, logo, and bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul> |

## TECHNICAL DATA

|                |                                                                                                                               |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|
| Pumps (3×)     | <ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul> |
| Blower         | Yes (with preheated air)                                                                                                      |
| Heating        | Balboa® 3 Kw                                                                                                                  |
| Filtration     | Telescopic skimmer CMP® cartridge filter                                                                                      |
| Shell          | Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)                                                     |
| Side panels    | High Pressure Laminate panels Fundermax®                                                                                      |
| Water volume   | 1 550 l                                                                                                                       |
| Hot tub weight | 348 kg                                                                                                                        |



| Model            | AMETHYST (OKA1)               | NEPHRITE (OKA2)   | SAPPHIRE (OKA3)   | ONYX (OKA4)       | ALMANDINE (OKA5)  |
|------------------|-------------------------------|-------------------|-------------------|-------------------|-------------------|
| Dimensions       | 200 × 100/150 × 206,2 × 78 cm | 216 × 160 × 78 cm | 210 × 180 × 93 cm | 200 × 200 × 93 cm | 220 × 220 × 93 cm |
| Number of places | 2                             | 3                 | 5                 | 5                 | 5                 |
| Loungers         | 2                             | 1                 | 1                 | 2                 | 2                 |
| Seats            | 0                             | 2                 | 4                 | 3                 | 3                 |
| Number of jets   | 39                            | 48                | 56                | 65                | 73                |
| Water volume     | 600 l                         | 1 000 l           | 1 150 l           | 1 250 l           | 1 550 l           |
| Weight           | 215 kg                        | 285 kg            | 307 kg            | 308 kg            | 348 kg            |

Thermocover is included in the standard equipment



Thermocover

#### Beyond-standard equipment



Microsilk



Bypass



Extra insulation  
40 mm



Supplementary  
Heater



Steps



Thermocover  
lifter



Cabinet LED  
light strip

For more information on beyond-standard equipment, see pg. 39

## A hot tub according to your wishes


#### Choose the shell color



Sterling Silver




Winter Solstice




Pearl White



Tucson Sun



Majestic Sky



Storm Cloud



#### Choose the paneling color



Concrete



Dark Stone



Patina Bronze



Antique



Afro Grey



Creek



Ecuador



## — HC — DESIGN

Smooth shapes, full equipment  
and customization



HC1



HC2



HC3



HC4



HC5



HC6



HC7



HC8

**WARRANTY**  
FOR THE SHELL  
AND CONSTRUCTION

**10**  
**YEARS**



The HC Design range represents traditional design. Every detail has been thought out, every material carefully selected for its technical properties as well as for perfect comfort. This range provides all the benefits of a unique relaxation in a hot tub.

## BEYOND-STANDARD EQUIPMENT




Wi-Fi connection



Microsilk



Bypass



Extra insulation  
40 mm




Audio or audio  
+subwoofer



HPL cabinet



Spa Touch 4  
with Wi-Fi module



Thermocover  
lifter



Supplementary  
Heater



Steps

For more information on beyond-standard equipment, see pg. 39

## STANDARD EQUIPMENT




+ Touch control panel Balboa® TP700



+ Acrylic tub Aristech® Lucite® ABS/PMMA



+ Soft, rounded shapes



+ CMP® stainless steel jets

+ Telescopic skimmer

+ High Density Durable Side Panels

+ 2 massage pumps 2.2 kW  
and 1 circulation pump\*

+ UV lamp

+ Blower with preheated air

+ Relaxation waterfall\*

+ LED lighting inner

+ Thermocover



\*Hot tub HC8 has 1 massage, 1 circulation pump and is without waterfall

## HC1

200 × 200 × 93 cm

5 PLACES  
4 SEATS  
1 LOUNGER


59 JETS

2 MASSAGE PUMPS  
+  
1 CIRCULATION PUMP

BLOWER

3D model in  
augmented  
reality

Android/iOS



## Balboa TP700

Backlit control panel



## Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



## Cervical spine jets

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine

## COMFORT

|                        |                                                                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control panel          | Balboa® TP700                                                                                                                                                                      |
| Hydromassage jets      | 49× Stainless steel CMP®                                                                                                                                                           |
| Air jets               | 10× Stainless steel CMP®                                                                                                                                                           |
| Cervical spine massage | Yes                                                                                                                                                                                |
| Air control            | Venturi effect: air/water flow control                                                                                                                                             |
| Water treatment        | UV lamp                                                                                                                                                                            |
| Equipment              | <ul style="list-style-type: none"> <li>– LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul> |

## TECHNICAL DATA

|                |                                                                                                                               |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|
| Pumps (3×)     | <ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul> |
| Blower         | Yes (with preheated air)                                                                                                      |
| Heating        | Balboa® 3 kW                                                                                                                  |
| Filtration     | Telescopic skimmer CMP® cartridge filter                                                                                      |
| Shell          | Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)                                                     |
| Side panels    | HDP or HDPS Panels / Hight Preassure Laminate panels Fundermax® (optional)                                                    |
| Water volume   | 1 100 l                                                                                                                       |
| Hot tub weight | 289 kg                                                                                                                        |

# HC2

200 × 200 × 93 cm

HC DESIGN

BLOWER


2 MASSAGE  
PUMPS  
+  
CIRCULATION  
PUMP 1

50  
JETS

4 PLACES  
2 SEATS  
2 LOUNGER

## COMFORT

|                        |                                                                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control panel          | Balboa® TP700                                                                                                                                                                      |
| Hydromassage jets      | 44× Stainless steel CMP®                                                                                                                                                           |
| Air jets               | 6× Stainless steel CMP®                                                                                                                                                            |
| Cervical spine massage | Yes                                                                                                                                                                                |
| Air control            | Venturi effect: air/water flow control                                                                                                                                             |
| Water treatment        | UV lamp                                                                                                                                                                            |
| Equipment              | <ul style="list-style-type: none"> <li>– LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul> |



## TECHNICAL DATA

|                |                                                                                                                               |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|
| Pumps (3×)     | <ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul> |
| Blower         | Yes (with preheated air)                                                                                                      |
| Heating        | Balboa® 3 kW                                                                                                                  |
| Filtration     | Telescopic skimmer CMP® cartridge filter                                                                                      |
| Shell          | Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)                                                     |
| Side panels    | HDP or HDPS Panels / Hight Pressure Laminate panels Fundermax® (optional)                                                     |
| Water volume   | 900 l                                                                                                                         |
| Hot tub weight | 288 kg                                                                                                                        |

### Balboa TP700

Backlit control panel



### Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



### Cervical spine jets

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine





## HC3

200 × 200 × 93 cm

5<sup>3</sup> SEATS  
PLACES 2 LOUNGERS


55  
JETS

2 MASSAGE  
PUMPS  
+  
CIRCULATION  
PUMP 1

BLOWER

3D model in  
augmented  
reality

Android/iOS



## Balboa TP700

Backlit control panel



## Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



## Cervical spine jets

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine



## COMFORT

|                        |                                                                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control panel          | Balboa® TP700                                                                                                                                                                      |
| Hydromassage jets      | 49× Stainless steel CMP®                                                                                                                                                           |
| Air jets               | 6× Stainless steel CMP®                                                                                                                                                            |
| Cervical spine massage | Yes                                                                                                                                                                                |
| Air control            | Venturi effect: air/water flow control                                                                                                                                             |
| Water treatment        | UV lamp                                                                                                                                                                            |
| Equipment              | <ul style="list-style-type: none"> <li>– LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul> |

## TECHNICAL DATA

|                |                                                                                                                               |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|
| Pumps (3×)     | <ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul> |
| Blower         | Yes (with preheated air)                                                                                                      |
| Heating        | Balboa® 3 kW                                                                                                                  |
| Filtration     | Telescopic skimmer CMP® cartridge filter                                                                                      |
| Shell          | Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)                                                     |
| Side panels    | HDP or HDPS Panels / Hight Preassure Laminate panels Fundermax® (optional)                                                    |
| Water volume   | 1 100 l                                                                                                                       |
| Hot tub weight | 287 kg                                                                                                                        |



3D model in  
augmented  
reality

Android/iOS

HC4  
216 × 160 × 93 cm

HC DESIGN

BLOWER


2 MASSAGE  
PUMPS  
+  
CIRCULATION  
PUMP 1

48  
JETS

3  
PLACES 1 SEATS  
2 LOUNGER

| COMFORT                |                                                                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control panel          | Balboa® TP700                                                                                                                                                                      |
| Hydromassage jets      | 42× Stainless steel CMP®                                                                                                                                                           |
| Air jets               | 6× Stainless steel CMP®                                                                                                                                                            |
| Cervical spine massage | Yes                                                                                                                                                                                |
| Air control            | Venturi effect: air/water flow control                                                                                                                                             |
| Water treatment        | UV lamp                                                                                                                                                                            |
| Equipment              | <ul style="list-style-type: none"> <li>– LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul> |

| TECHNICAL DATA |                                                                                                                               |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|
| Pumps (3×)     | <ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul> |
| Blower         | Yes (with preheated air)                                                                                                      |
| Heating        | Balboa® 3 kW                                                                                                                  |
| Filtration     | Telescopic skimmer CMP® cartridge filter                                                                                      |
| Shell          | Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)                                                     |
| Side panels    | HDP or HDPS Panels / Hight Pressure Laminate panels Fundermax® (optional)                                                     |
| Water volume   | 850 l                                                                                                                         |
| Hot tub weight | 272 kg                                                                                                                        |



**Balboa TP700**

Backlit control panel



**Waterfall lighting**

It creates a relaxing atmosphere combined with rustling water



**Cervical spine jets**

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine



# HC5


216 × 160 × 93 cm

3<sup>2</sup> SEATS  
PLACES 1 LOUNGERS

43  
JETS

2 MASSAGE PUMPS  
+  
CIRCULATION PUMP 1

BLOWER



## Balboa TP700

Backlit control panel



## Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



## Cervical spine jets

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine

## COMFORT

|                        |                                                                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control panel          | Balboa© TP700                                                                                                                                                                      |
| Hydromassage jets      | 37× Stainless steel CMP®                                                                                                                                                           |
| Air jets               | 6× Stainless steel CMP®                                                                                                                                                            |
| Cervical spine massage | Yes                                                                                                                                                                                |
| Air control            | Venturi effect: air/water flow control                                                                                                                                             |
| Water treatment        | UV lamp                                                                                                                                                                            |
| Equipment              | <ul style="list-style-type: none"> <li>– LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul> |

## TECHNICAL DATA

|                |                                                                                                                               |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|
| Pumps (3×)     | <ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul> |
| Blower         | Yes (with preheated air)                                                                                                      |
| Heating        | Balboa® 3 kW                                                                                                                  |
| Filtration     | Telescopic skimmer CMP® cartridge filter                                                                                      |
| Shell          | Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)                                                     |
| Side panels    | HDP or HDPS Panels / Hight Preassure Laminate panels Fundermax® (optional)                                                    |
| Water volume   | 850 l                                                                                                                         |
| Hot tub weight | 272 kg                                                                                                                        |





3D model in  
augmented  
reality

Android/iOS

HC6  
220 × 220 × 93 cm

HC DESIGN

BLOWER

2 MASSAGE  
PUMPS  
+  
CIRCULATION  
PUMP 1


62  
JETS

7  
PLACES

7 SEATS  
0 LOUNGER

| COMFORT                |                                                                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control panel          | Balboa® TP700                                                                                                                                                                      |
| Hydromassage jets      | 50× Stainless steel CMP®                                                                                                                                                           |
| Air jets               | 12× Stainless steel CMP®                                                                                                                                                           |
| Cervical spine massage | Yes                                                                                                                                                                                |
| Air control            | Venturi effect: air/water flow control                                                                                                                                             |
| Water treatment        | UV lamp                                                                                                                                                                            |
| Equipment              | <ul style="list-style-type: none"> <li>– LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul> |

| TECHNICAL DATA |                                                                                                                               |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|
| Pumps (3×)     | <ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul> |
| Blower         | Yes (with preheated air)                                                                                                      |
| Heating        | Balboa® 3 kW                                                                                                                  |
| Filtration     | Telescopic skimmer CMP® cartridge filter                                                                                      |
| Shell          | Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)                                                     |
| Side panels    | HDP or HDPS Panels / Hight Pressure Laminate panels Fundermax® (optional)                                                     |
| Water volume   | 1 300 l                                                                                                                       |
| Hot tub weight | 328 kg                                                                                                                        |



**Balboa TP700**

Backlit control panel



**Waterfall lighting**

It creates a relaxing atmosphere combined with rustling water



**Cervical spine jets**

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine



## HC7


220 × 220 × 93 cm

5<sup>3</sup> SEATS  
PLACES 2 LOUNGERS

61  
JETS

2 MASSAGE  
PUMPS  
+  
CIRCULATION  
PUMP 1

BLOWER




## Balboa TP700

Backlit control panel



## Waterfall lighting

It creates a relaxing atmosphere combined with rustling water



## Cervical spine jets

These directional jets are located outside the water circulation and are pointed at the level of the cervical spine

3D model in  
augmented  
reality

Android/iOS



## COMFORT

|                        |                                                                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Control panel          | Balboa® TP700                                                                                                                                                                      |
| Hydromassage jets      | 53× Stainless steel CMP®                                                                                                                                                           |
| Air jets               | 8× Stainless steel CMP®                                                                                                                                                            |
| Cervical spine massage | Yes                                                                                                                                                                                |
| Air control            | Venturi effect: air/water flow control                                                                                                                                             |
| Water treatment        | UV lamp                                                                                                                                                                            |
| Equipment              | <ul style="list-style-type: none"> <li>– LED lighting: jets, waterfall, above-waterline spotlights, bottom lighting</li> <li>– Waterfall</li> <li>– Anatomical headrest</li> </ul> |

## TECHNICAL DATA

|                |                                                                                                                               |
|----------------|-------------------------------------------------------------------------------------------------------------------------------|
| Pumps (3×)     | <ul style="list-style-type: none"> <li>– 2 mono speed massage pumps 2.2 kW</li> <li>– 1 circulation pump 200–400 W</li> </ul> |
| Blower         | Yes (with preheated air)                                                                                                      |
| Heating        | Balboa® 3 kW                                                                                                                  |
| Filtration     | Telescopic skimmer CMP® cartridge filter                                                                                      |
| Shell          | Acrylic layer ABS-PMMA Lucite® + double GreenShield layer insulation (PU)                                                     |
| Side panels    | HDP or HDPS Panels / Hight Preassure Laminate panels Fundermax® (optional)                                                    |
| Water volume   | 1 250 l                                                                                                                       |
| Hot tub weight | 325 kg                                                                                                                        |

# HC8

Ø 214 × 93 cm

HC DESIGN

BLOWER

1 MASSAGE PUMP  
+  
1 CIRCULATION PUMP

32  
JETS

6  
PLACES

6 SEATS  
0 LOUNGER

| COMFORT           |                                                                 |
|-------------------|-----------------------------------------------------------------|
| Control panel     | Balboa® TP700                                                   |
| Hydromassage jets | 22× Stainless steel CMP®                                        |
| Air jets          | 10× Stainless steel CMP®                                        |
| Air control       | Venturi effect: air/water flow control                          |
| Water treatment   | UV lamp                                                         |
| Equipment         | LED lighting: jets, above-waterline spotlights, bottom lighting |




| TECHNICAL DATA |                                                                              |
|----------------|------------------------------------------------------------------------------|
| Pumps (2×)     | – 1 mono speed massage pump 2.2 kW<br>– 1 circulation pump 200–400 W         |
| Blower         | Yes (with preheated air)                                                     |
| Heating        | Balboa® 3 kW                                                                 |
| Filtration     | Telescopic skimmer CMP® cartridge filter                                     |
| Shell          | Acrylic layer ABS-PMMA Lucite®<br>+ double GreenShield layer insulation (PU) |
| Side panels    | HDP or HDPS Panels                                                           |
| Water volume   | 1 050 l                                                                      |
| Hot tub weight | 290 kg                                                                       |



**Balboa TP700**

Backlit control panel



**Hybrid overflow**







| Model            | HC1               | HC2               | HC3               | HC4               | HC5               | HC6               | HC7               | HC8           |
|------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|---------------|
| Dimensions       | 200 × 200 × 93 cm | 200 × 200 × 93 cm | 200 × 200 × 93 cm | 216 × 160 × 93 cm | 216 × 160 × 93 cm | 220 × 220 × 93 cm | 220 × 220 × 93 cm | Ø 214 × 93 cm |
| Number of places | 5                 | 4                 | 5                 | 3                 | 3                 | 7                 | 5                 | 6             |
| Loungers         | 1                 | 2                 | 2                 | 2                 | 1                 | 0                 | 2                 | 0             |
| Seats            | 4                 | 2                 | 3                 | 1                 | 2                 | 7                 | 3                 | 6             |
| Number of jets   | 59                | 50                | 55                | 48                | 43                | 62                | 61                | 32            |
| Water volume     | 1 100 l           | 900 l             | 1 100 l           | 850 l             | 850 l             | 1 300 l           | 1 250 l           | 1 050 l       |
| Weight           | 289 kg            | 288 kg            | 287 kg            | 272 kg            | 272 kg            | 328 kg            | 325 kg            | 290 kg        |

Thermocover is included in the standard equipment



Thermocover

Beyond-standard equipment



Wi-Fi connection



Bypass




Audio or audio +subwoofer



Microsilk



Spa Touch 4 with Wi-Fi



Extra insulation 40 mm



Steps



Thermocover lifter



HPL cabinet



Supplementary Heater

For more information on beyond-standard equipment, see pg. 39

A hot tub according to your wishes


Choose the shell color



Sterling Silver




Winter Solstice




Pearl White



Tucson Sun



Storm Cloud



Majestic Sky

Choose the paneling color

HDPS



Carbon Brown




Nordic Gray



Teak

HDP



OPTIONAL – Choose the HPL paneling color and metal corners (HC 1–7)



Concrete




Dark Stone



Patina Bronze



Antique



Afro Grey



Creek



Ecuador

Metal corners



Grey




Brown

# A HOT TUB ACCORDING TO YOUR WISHES

Whatever model you choose, we offer a wide range of colors for the tub, paneling and thermocover of the hot tub.

## 1. CHOOSE A TUB ACCORDING TO YOUR WISHES

6 color offer



## 2. CHOOSE A HOT TUB PANELING


FOR OKANDINAVIA DESIGN AND OKA DESIGN

7 color offer




FOR HC DESIGN

10 color offer



OPTIONAL – HPL PANELING WITH METAL CORNERS FOR HC 1–7













# First choice accessories

*More about*

## The thermocover

This is necessary to maintain the water temperature. It prevents heat loss to the maximum extent, but it also fulfills a safety function when children are near the hot tub. Our spas feature WeatherShield material, surpassing standard PVC covers in durability and performance.

**Galvanized aluminium reinforcements to ensure perfect reinforcement**

**The inner mesh layer of the thermocover reduces water condensation and mold**

High-quality layer against UV radiation and mold

High-density insulation made of polystyrene with a thickness of 9–13 cm


13 cm high skirt for even greater tightness of insulation around the entire hot tub

Lockable securing straps

Impermeable film

## Weathershield advantages:

- 3× Times Stronger than PVC
- Modern, more durable and lighter in weight
- Wide handles



*More about*

## The thermocover lifter

Necessary equipment to facilitate work. The lifter allows you to open and close the hot tub with a simple movement.




*More about*

## The steps

Necessary for entering or exiting the HANSCHIA hot tub; it has 2 wide and stable steps made of high-density polyethylene (HDPE), which guarantees a long service life and water resistance.



# Beyond-standard accessories



## Extra insulation

If extra insulation is chosen, the wooden structure of the hot tub is filled by 40 mm thick thermoshield PVC foam. This ensures protection of technical components and hoses against extreme cold. This equipment is mainly offered in Scandinavian countries, but it also saves money on power consumption.



## Wi-Fi interface

Make your life easier with the possibility of operating the hot tub's control panel via a Wi-Fi interface. Change the temperature or check the correct operation of the hot tub: all this can be done in the blink of an eye on your smartphone even from the other side of the world.



## Supplementary Heater

The supplementary heater rapidly brings the water to the specified temperature and sustains it, regardless of extremely cold and windy weather.



## Microsilks technology

This is a device that produces billions of fine bubbles rich in oxygen that hydrate and regenerate the skin in depth by removing impurities, smoothing it out and neutralizing free radicals. This cosmetic procedure provides relief for people suffering from skin diseases such as eczema and psoriasis.



## HPL Cabinets for HC Spas

Elevate your HC Models with our exclusive HPL Cabinet upgrade – the ultimate fusion of style and durability. Explore a wide range of color options and enjoy superior resilience. With 2 corner colors and 7 panel options to choose from, your spa will transition from traditional to contemporary effortlessly.



## Bypass

This variant allows independent filtration or heating of the hot tub, e.g. using a sand filtration or a heat pump for swimming pools, thus reducing electricity consumption.



## Preparation for embedding the hot tub

Do you want to embed your hot tub in a designated area? We offer you the option of ordering a hot tub without external paneling.



## Cabinet LED light strip

Discover the magic of LED lighting and create the perfect atmosphere. Several LED light strips placed under the side panels of the hot tub will create the right atmosphere for relaxation.



## Control panel Spa Touch 4

Featured in standard Equipment for OKANDINAVIA Diamond, also available as an extra for OKA and HC Series. This brand new panel offers superior functionality, interface and mainly has an inbuilt Wi-Fi Module.





[www.hanscraft.eu](http://www.hanscraft.eu)